

Perforacijų variantai**Medžiaga** - Wood**Paviršiaus raštas** - Perf. A1, ø 8mm**Forma** - Board & Tiles

Gaminio numeris	Aprašymas	Matmenys (mm)	Profilių sistema (mm)	Garso sugėrimas (alfa w)	Garso slopinimas (Dncw dB)	Sant. drėgn. %	ŠA %
2559MCM	Madera	600 x	24				
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)		70	74
	Vector	12					
	Curly Maple (CM)						
2559MLM	Madera	600 x	24				
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)		70	55
	Vector	12					
	Lime Tree (LM)						
2559MPH	Madera	600 x	24				
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)		70	36
	Vector	12					
	Pear (PH)						
2567MBH	Madera	600 x	24				
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)		70	39
	Vector	13					
	Beech (BH)						
2567MUC	Madera	600 x	24				
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)		70	25
	Vector	13					
	US Cherry (UC)						
2567MUM	Madera	600 x	24				
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)		70	62
	Vector	13					
	US Maple (UM)						
9776MCM	Madera	600 x	15				
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)		70	74
	MicroLook	12					
	Curly Maple (CM)						
9776MLM	Madera	600 x	15				
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)		70	55
	MicroLook	12					
	Lime Tree (LM)						

9776MPH	Madera	600 x	15		
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)	70 36
	MicroLook		12		
	Pear (PH)				
9779MBH	Madera	600 x	15		
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)	70 39
	MicroLook		13		
	Beech (BH)				
9779MUC	Madera	600 x	15		
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)	70 25
	MicroLook		13		
	US Cherry (UC)				
9779MUM	Madera	600 x	15		
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)	70 62
	MicroLook		13		
	US Maple (UM)				
9938MCM	Madera	600 x			
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)	70 74
	SL2		16		
	Curly Maple (CM)				
9938MLM	Madera	600 x			
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)	70 55
	SL2		16		
	Lime Tree (LM)				
9938MPH	Madera	600 x			
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)	70 36
	SL2		16		
	Pear (PH)				
9947MBH	Madera	600 x			
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)	70 39
	SL2		17		
	Beech (BH)				
9947MUC	Madera	600 x			
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)	70 25
	SL2		17		
	US Cherry (UC)				
9947MUM	Madera	600 x			
	Perf. A1, ø 8mm	600 x		Iki 0.40 (L)	70 62

SL2

17

US Maple
(UM)

Perforacijų variantai**Medžiaga** - Wood**Paviršiaus raštas** - Perf. A2, ø 6mm**Forma** - Board & Tiles

Gaminio numeris	Aprašymas	Matmenys (mm)	Profilių sistema (mm)	Garso sugėrimas (alfa w)	Garso slopinimas (Dncw dB)	Sant. drėgn. %	ŠA %
2560MCM	Madera	600 x	24				
	Perf. A2, ø 6mm Vector	600 x 12				70	74
	Curly Maple (CM)						
2560MLM	Madera	600 x	24				
	Perf. A2, ø 6mm Vector	600 x 12				70	55
	Lime Tree (LM)						
2560MPH	Madera	600 x	24				
	Perf. A2, ø 6mm Vector	600 x 12				70	36
	Pear (PH)						
2568MBH	Madera	600 x	24				
	Perf. A2, ø 6mm Vector	600 x 13				70	39
	Beech (BH)						
2568MUC	Madera	600 x	24				
	Perf. A2, ø 6mm Vector	600 x 13				70	25
	US Cherry (UC)						
2568MUM	Madera	600 x	24				
	Perf. A2, ø 6mm Vector	600 x 13				70	62
	US Maple (UM)						
9775MCM	Madera	600 x	15				
	Perf. A2, ø 6mm MicroLook	600 x 12				70	74
	Curly Maple (CM)						
9775MLM	Madera	600 x	15				
	Perf. A2, ø 6mm MicroLook	600 x 12				70	55
	Lime Tree (LM)						

9775MPH	Madera	600 x	15		
	Perf. A2, ø 6mm	600 x		70	36
	MicroLook		12		
	Pear (PH)				
9778MBH	Madera	600 x	15		
	Perf. A2, ø 6mm	600 x		70	39
	MicroLook		13		
	Beech (BH)				
9778MUC	Madera	600 x	15		
	Perf. A2, ø 6mm	600 x		70	25
	MicroLook		13		
	US Cherry (UC)				
9778MUM	Madera	600 x	15		
	Perf. A2, ø 6mm	600 x		70	62
	MicroLook		13		
	US Maple (UM)				
9937MCM	Madera	600 x			
	Perf. A2, ø 6mm	600 x		70	74
	SL2		16		
	Curly Maple (CM)				
9937MLM	Madera	600 x			
	Perf. A2, ø 6mm	600 x		70	55
	SL2		16		
	Lime Tree (LM)				
9937MPH	Madera	600 x			
	Perf. A2, ø 6mm	600 x		70	36
	SL2		16		
	Pear (PH)				
9946MBH	Madera	600 x			
	Perf. A2, ø 6mm	600 x		70	39
	SL2		17		
	Beech (BH)				
9946MUC	Madera	600 x			
	Perf. A2, ø 6mm	600 x		70	25
	SL2		17		
	US Cherry (UC)				
9946MUM	Madera	600 x			
	Perf. A2, ø 6mm	600 x		70	62
	SL2		17		
	US Maple (UM)				

Perforacijų variantai**Medžiaga** - Wood**Paviršiaus raštas** - Perf. A8, oblong 8x50mm**Forma** - Board & Tiles

Gaminio numeris	Aprašymas	Matmenys (mm)	Profilių sistema (mm)	Garso sugėrimas (alfa w)	Garso slopinimas (Dncw dB)	Sant. drėgn. %	ŠA %
2561MCM	Madera	600 x	24				
	Perf. A8, oblong 8x50mm	600 x				70	74
	Vector	12					
	Curly Maple (CM)						
2561MLM	Madera	600 x	24				
	Perf. A8, oblong 8x50mm	600 x				70	55
	Vector	12					
	Lime Tree (LM)						
2561MPH	Madera	600 x	24				
	Perf. A8, oblong 8x50mm	600 x				70	36
	Vector	12					
	Pear (PH)						
2569MBH	Madera	600 x	24				
	Perf. A8, oblong 8x50mm	600 x				70	39
	Vector	13					
	Beech (BH)						
2569MUC	Madera	600 x	24				
	Perf. A8, oblong 8x50mm	600 x				70	25
	Vector	13					
	US Cherry (UC)						
2569MUM	Madera	600 x	24				
	Perf. A8, oblong 8x50mm	600 x				70	62
	Vector	13					
	US Maple (UM)						
9924MCM	Madera	600 x	15				
	Perf. A8, oblong 8x50mm	600 x				70	74
	MicroLook	12					

	Curly Maple (CM)					
9924MLM	Madera	600 x	15			
	Perf. A8, oblong 8x50mm	600 x			70	55
	MicroLook		12			
	Lime Tree (LM)					
9924MPH	Madera	600 x	15			
	Perf. A8, oblong 8x50mm	600 x			70	36
	MicroLook		12			
	Pear (PH)					
9930MBH	Madera	600 x	15			
	Perf. A8, oblong 8x50mm	600 x			70	39
	MicroLook		13			
	Beech (BH)					
9930MUC	Madera	600 x	15			
	Perf. A8, oblong 8x50mm	600 x			70	25
	MicroLook		13			
	US Cherry (UC)					
9930MUM	Madera	600 x	15			
	Perf. A8, oblong 8x50mm	600 x			70	62
	MicroLook		13			
	US Maple (UM)					
9939MCM	Madera	600 x				
	Perf. A8, oblong 8x50mm	600 x			70	74
	SL2		16			
	Curly Maple (CM)					
9939MLM	Madera	600 x				
	Perf. A8, oblong 8x50mm	600 x			70	55
	SL2		16			
	Lime Tree (LM)					
9939MPH	Madera	600 x				
	Perf. A8, oblong 8x50mm	600 x			70	36

	SL2	600 x	16		
	Pear (PH)				
9948MBH	Madera	600 x			
	Perf. A8, oblong 8x50mm	600 x		70	39
	SL2		17		
	Beech (BH)				
9948MUC	Madera	600 x			
	Perf. A8, oblong 8x50mm	600 x		70	25
	SL2		17		
	US Cherry (UC)				
9948MUM	Madera	600 x			
	Perf. A8, oblong 8x50mm	600 x		70	62
	SL2		17		
	US Maple (UM)				

Perforacijų variantai**Medžiaga** - Wood**Paviršiaus raštas** - Perf. A10, oblong 8x40mm**Forma** - Board & Tiles

Gaminio numeris	Aprašymas	Matmenys (mm)	Profilių sistema (mm)	Garso sugėrimas (alfa w)	Garso slopinimas (Dncw dB)	Sant. drėgn. %	ŠA %
2562MCM	Madera	600 x	24				
	Perf. A10, oblong 8x40mm Vector	600 x 12				70	74
	Curly Maple (CM)						
2562MLM	Madera	600 x	24				
	Perf. A10, oblong 8x40mm Vector	600 x 12				70	55
	Lime Tree (LM)						
2562MPH	Madera	600 x	24				
	Perf. A10, oblong 8x40mm Vector	600 x 12				70	36
	Pear (PH)						
2570MBH	Madera	600 x	24				
	Perf. A10, oblong 8x40mm Vector	600 x 13				70	39
	Beech (BH)						
2570MUC	Madera	600 x	24				
	Perf. A10, oblong 8x40mm Vector	600 x 13				70	25
	US Cherry (UC)						
2570MUM	Madera	600 x	24				
	Perf. A10, oblong 8x40mm Vector	600 x 13				70	62
	US Maple (UM)						
9925MCM	Madera	600 x	15				
	Perf. A10, oblong 8x40mm MicroLook	600 x 12				70	74
	Curly Maple (CM)						
9925MLM	Madera	600 x	15				

	Perf. A10, oblong 8x40mm MicroLook	600 x	12	70	55
	Lime Tree (LM)				
9925MPH	Madera	600 x	15		
	Perf. A10, oblong 8x40mm MicroLook	600 x	12	70	36
	Pear (PH)				
9931MBH	Madera	600 x	15		
	Perf. A10, oblong 8x40mm MicroLook	600 x	13	70	39
	Beech (BH)				
9931MUC	Madera	600 x	15		
	Perf. A10, oblong 8x40mm MicroLook	600 x	13	70	25
	US Cherry (UC)				
9931MUM	Madera	600 x	15		
	Perf. A10, oblong 8x40mm MicroLook	600 x	13	70	62
	US Maple (UM)				
9940MCM	Madera	600 x			
	Perf. A10, oblong 8x40mm SL2	600 x	16	70	74
	Curly Maple (CM)				
9940MLM	Madera	600 x			
	Perf. A10, oblong 8x40mm SL2	600 x	16	70	55
	Lime Tree (LM)				
9940MPH	Madera	600 x			
	Perf. A10, oblong 8x40mm SL2	600 x	16	70	36
	Pear (PH)				
9949MBH	Madera	600 x			
	Perf. A10, oblong 8x40mm SL2	600 x	17	70	39
	Beech (BH)				
9949MUC	Madera	600 x			

	Perf. A10, oblong 8x40mm SL2	600 x 17	70	25
	US Cherry (UC)			
9949MUM	Madera	600 x		
	Perf. A10, oblong 8x40mm SL2	600 x 17	70	62
	US Maple (UM)			

Perforacijų variantai**Medžiaga** - Wood**Paviršiaus raštas** - Perf. A12, oblong 6x40mm**Forma** - Board & Tiles

Gaminio numeris	Aprašymas	Matmenys (mm)	Profilių sistema (mm)	Garso sugėrimas (alfa w)	Garso slopinimas (Dncw dB)	Sant. drėgn. %	ŠA %
2564MCM	Madera	600 x	24				
	Perf. A12, oblong 6x40mm Vector	600 x 12				70	74
	Curly Maple (CM)						
2564MLM	Madera	600 x	24				
	Perf. A12, oblong 6x40mm Vector	600 x 12				70	55
	Lime Tree (LM)						
2564MPH	Madera	600 x	24				
	Perf. A12, oblong 6x40mm Vector	600 x 12				70	36
	Pear (PH)						
2572MBH	Madera	600 x	24				
	Perf. A12, oblong 6x40mm Vector	600 x 13				70	39
	Beech (BH)						
2572MUC	Madera	600 x	24				
	Perf. A12, oblong 6x40mm Vector	600 x 13				70	25
	US Cherry (UC)						
2572MUM	Madera	600 x	24				
	Perf. A12, oblong 6x40mm Vector	600 x 13				70	62
	US Maple (UM)						
9927MCM	Madera	600 x	15				
	Perf. A12, oblong 6x40mm MicroLook	600 x 12				70	74
	Curly Maple (CM)						
9927MLM	Madera	600 x	15				
	Perf. A12, oblong 6x40mm	600 x				70	55

	MicroLook		12		
	Lime Tree (LM)				
9927MPH	Madera	600 x	15		
	Perf. A12, oblong 6x40mm	600 x		70	36
	MicroLook		12		
	Pear (PH)				
9933MBH	Madera	600 x	15		
	Perf. A12, oblong 6x40mm	600 x		70	39
	MicroLook		13		
	Beech (BH)				
9933MUC	Madera	600 x	15		
	Perf. A12, oblong 6x40mm	600 x		70	25
	MicroLook		13		
	US Cherry (UC)				
9933MUM	Madera	600 x	15		
	Perf. A12, oblong 6x40mm	600 x		70	62
	MicroLook		13		
	US Maple (UM)				
9942MCM	Madera	600 x			
	Perf. A12, oblong 6x40mm	600 x		70	74
	SL2		16		
	Curly Maple (CM)				
9942MLM	Madera	600 x			
	Perf. A12, oblong 6x40mm	600 x		70	55
	SL2		16		
	Lime Tree (LM)				
9942MPH	Madera	600 x			
	Perf. A12, oblong 6x40mm	600 x		70	36
	SL2		16		
	Pear (PH)				
9951MBH	Madera	600 x			
	Perf. A12, oblong 6x40mm	600 x		70	39
	SL2		17		
	Beech (BH)				
9951MUC	Madera	600 x			
	Perf. A12, oblong 6x40mm	600 x		70	25

	SL2		17	
	US Cherry (UC)			
9951MUM	Madera	600 x		
	Perf. A12, oblong 6x40mm	600 x		70 62
	SL2		17	
	US Maple (UM)			